

Serial No.: 10/575,310

PD030106

RECEIVED
CENTRAL FAX CENTER

APR 09 2009

Listing and Amendments to the Claims

Please **rewrite** claims 1 and 6-8 as indicated.

1. (Currently Amended) Turntable for a drive for storage media in disc form, with a bore for receiving a motor shaft of a drive motor and intended to be permanently fixed to said motor shaft, wherein the diameter of the bore is greater, at least in a partial region of the bore, than the diameter of the motor shaft, so that there is a gap between the wall of the bore and the motor shaft and an inclination and/or a lateral position of the turntable is adjustable in relation to an axis of rotation of the motor shaft.
2. (Previously Presented) Turntable according to Claim 1, wherein the bore is substantially cylindrical.
3. (Previously Presented) Turntable according to Claim 2, wherein the bore has an annular constriction, the diameter of which corresponds substantially to the diameter of the motor shaft.
4. (Previously Presented) Turntable according to Claim 1, wherein the bore is substantially conical.
5. (Previously Presented) Turntable according to Claim 4, wherein the diameter of the bore at the narrowest point of the bore corresponds substantially to the diameter of the motor shaft.
6. (Currently Amended) Turntable for a drive for storage media in disc form, with a bore for receiving a motor shaft of a drive motor, wherein the turntable comprises at least a first part mounted on the motor shaft, which is fixed in relation to an axis of rotation of the motor shaft, and a second part, whose

Serial No.: 10/575,310

PD030106

inclination and/or the lateral position in relation to the axis of rotation of the motor shaft is adjustable and which is intended to be permanently fixed to said motor shaft and/or said first part, the first part and the second part being arranged such that there is a gap between the first part and the second part.

7. (Currently Amended) Method for mounting a turntable with a bore on a motor shaft, it being possible to set an inclination and/or a lateral position of the turntable in relation to the motor shaft, comprising the steps of:

- positioning the motor shaft in a defined position,
- introducing the motor shaft into the bore of the turntable,
- adjusting the inclination and/or the lateral position of the turntable in relation to the motor shaft, and
- permanently fixing the motor shaft in the bore of the turntable.

8. (Currently Amended) Method of mounting a turntable with a bore on a motor shaft, the turntable comprising at least a first part, which is fixed in relation to an axis of rotation of the motor shaft, and a second part, whose inclination and/or lateral position in relation to the motor shaft is adjustable, comprising the steps of:

- mounting the first part of the turntable on the motor shaft,
- positioning the motor shaft in a defined position,
- adjusting the inclination and/or the lateral position of the second part of the turntable in relation to the motor shaft, and
- permanently fixing the second part of the turntable on the motor shaft and/or on the first part of the turntable.

9. (Previously Presented) Device for reading from and/or writing to recording media in disc form, wherein it has a turntable according to Claim 1.

Serial No.: 10/575,310

PD030106

10. (Previously Presented) Device for reading from and/or writing to recording media in disc form, wherein it has a turntable according to Claim 6.